



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

January 14, 2010

Christopher M. Francis  
450 West Fourth Street  
Royal Oak, MI 48067-2557

Patent No: 7,473,257 B2  
Application No: 10/758,925  
Applicant: Christian Knopfle, et al.  
Issued: January 6, 2009  
Title: **BENDING PLIERS FOR PERFORATED BONE PLATES AND BENDING-PLIERS SYSTEM**

Request for Certificate of Correction:

Consideration has been given to your request for the issuance of a certificate of correction for the above- identified patent under the provisions of Rule 1.322/1.323.

The error complained of on the Title Page item 75, per the examiner "applicant did not include a declaration as required (see letter mailed 03/18/09). It is noted that the letter clearly indicated that a request under 1.323, declaration AND statement were required for further consideration".

In view of the foregoing your request in this matter is hereby denied.

/Virginia Tolbert/  
Virginia Tolbert  
For Mary F. Diggs, Supervisor  
Decisions and Certificate of Correction  
(571) 272-0460 (voice)  
(571) 270-9892 (fax)

vt